

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SPECIAL
Thirty Day Sale

— of —

Hardy Ornamental Plants

APRIL 1 to APRIL 30, 1935

These plants are high grade in every respect. They are nursery grown unless otherwise stated, and ready for immediate shipment.

Not less than 25 of one variety can be sold at these prices.

ALL SHIPMENTS F. O. B. ASHFORD.

*Gardens of
The Blue Ridge*

E. C. ROBBINS, Nurseryman
ASHFORD, McDowell County, NORTH CAROLINA

HARDY NATIVE DECIDUOUS TREES and SHRUBS

ACER PENNSYLVANICUM. <i>Striped Maple.</i>	
1-2 ft. @	\$.10
ARONIA MELANOCARPA. <i>Black Chokeberry.</i>	
2-4 ft. @	.22
AZALEA CALENDULACEA. <i>Flame Azalea.</i>	
1-2 ft. Strong @	.52
2-3 ft. XX Heavy cls. @	.72
3-4 ft. XX Heavy Clumps @	.90
Cut-back Clumps @	.16
AZALEA CANESCENS. <i>Piedmont Azalea.</i>	
Cut-back cls. @	.22
1-2 ft. @	.60
2-3 ft. @	.86
AZALEA NUDIFLORA. <i>Pinxter Bloom.</i>	
1-2 ft. @	.54
2-3 ft. @	.86
Cut-back Clumps @	.18
AZALEA VASEYI. <i>Pink-shell Azalea.</i>	
1-2 ft. @	.62
CORNUS FLORIDA RUBRA. <i>Pink-flowering Dogwood.</i>	
4-5 ft. @	1.45
HALESIA TETRAPTERA. <i>Great Silverbell.</i>	
1-2 ft. @	.18
HAMAMELIS VIRGINIANA. <i>Common Witch-hazel.</i>	
3-5 ft. @	.36
HYDRANGEA PANICULATA GRANDIFLORA. <i>Large-Panicked Hydrangea.</i>	
2-3 ft. @	.14
3-5 ft. XX Heavy @	.22
HYDRANGEA ARBORESCENS GRANDIFLORA. <i>Hills of Snow.</i>	
2-3 ft. @	.15

HYDRANGEA RADIATA. <i>Silverleaf Hydrangea.</i>	
2-3 ft. @	\$.26
HYPERICUM DENSIFLORUM. <i>Common St. John's Wort.</i>	
1½-2 ft. @	.06
HYPERICUM PROLIFICUM. <i>Shubby St. John's Wort.</i>	
2-3 ft. X Strong @	.22
ILEX VERTICILLATA. <i>Common Winterberry.</i>	
6-12 in. @	.07
1-2 ft. @	.16
LARIX LARICINA. <i>American Larch.</i>	
4-6 ft. @	.45
OSTRYA VIRGINIANA. <i>American Hop Hornbeam.</i>	
4-6 ft. @	.55
OXYDENDRUM ARBOREUM. <i>Sourwood.</i>	
2-3 ft. @	.23
3-4 ft. @	.27
QUERCUS ALBA. <i>White Oak.</i>	
1-2 ft. @	.14
QUERCUS PHELLOS. <i>Willow Oak.</i>	
1-2 ft. @	.16
RHUS COPALLINA. <i>Shining Sumac.</i>	
2-3 ft. @	.24
RHUS TYPHINA. <i>Staghorn Sumac.</i>	
4-6 ft. @	.26
VACCINIUM PALLIDUM. <i>Blue Ridge Blueberry.</i>	
2-3 ft. Heavy @	.36
VIBURNUM CASSINOIDES. <i>Withe-rod.</i>	
2-3 ft. X Heavy @	.26
3-4 ft. X Quality @	.37
4-6 ft. X Heavy @	.46

HARDY NATIVE EVERGREEN TREES and SHRUBS

ABIES CONCOLOR. <i>White Fir.</i>	
6-12 in. Seedlings @	\$.03
ABIES FRASERI. <i>Fraser Fir.</i>	
9-18 in. @	.09
1½-2 ft. X @	.22
BUXUS SUFFRUTICOSA. <i>Old English Box.</i>	
6-9 in. @	.65
CHAMAEDAPHNE CALYCULLATA. <i>Leatherleaf.</i>	
9-18 in. @	.20
ILEX OPACA. <i>American Holly.</i>	
1-2 ft. @	.20
2-3 ft. @	.26
JUNIPERUS COMMUNIS DEPRESSA. <i>Prostrate Juniper.</i>	
1½-2 ft. @	.36
JUNIPERUS HIBERNICA. <i>Irish Juniper.</i>	
12-18 in. @	.18
JUNIPERUS SABINA. <i>Savin.</i>	
8-12 in. @	.20
JUNIPERUS VIRGINIANA. <i>Red cedar.</i>	
2-4 ft. @	.42
KALMIA LATIFOLIA. <i>Mountain Laurel.</i>	
9-12 in @	.16
1-2 ft. Strong Plants @	.25
1½-2 ft. X heavy clumps @	.65
2-3 ft. XX heavy clumps @	.85
3-4 ft. XX heavy clumps @	1.35
LEIOPHYLLUM BUXIFOLIUM. <i>Sand Myrtle.</i>	
6-12 in. clumps @	.26
LEUCOTHOE CATESBAEI. <i>Drooping Leucothoe.</i>	
6-12 in. @	.10
1-1½ ft. clumps @	.24
1½-2 ft. Heavy clumps @	.32
Strong cut-back cls. for growing on @	.09
PICEA CANADENSIS. <i>White Spruce.</i>	
2-4 ft. @	.46
PICEA EXCELSA. <i>Norway Spruce.</i>	
1-2 ft. @	.09

PICEA MARIANA. <i>Black Spruce.</i>	
6-12 in @	\$.05
1-2 ft. @	.18
2-3 ft. @	.36
PICEA PUNGENS. <i>Colorado Spruce.</i>	
10-15 in. @	.11
PIERIS FLORIBUNDA. <i>Mountain Andromeda.</i>	
9-12 in. cls. @	.45
1-1½ ft. X heavy cls. @	.76
Cut-back cls. for growing on	.22
PINUS STROBUS. <i>White Pine.</i>	
3-5 ft. @	.54
5-7 ft. @	.85
7-9 ft. @	1.25
9-12 ft. @	2.65
TAXUS CANADENSIS. <i>Canada Yew.</i>	
6-12 in. @	.18
THUJA OCCIDENTALIS. <i>American Arborvitae.</i>	
1½-2 ft. @	.14
2-4 ft. @	.32
4-6 ft. @	.46
TSUGA CANADENSIS. <i>Canada Hemlock.</i>	
1-1½ ft. @	.20
1½-2 ft. @	.30
2-3 ft. Bargain @	.65
3-4 ft. Real Bargain @	.90
4-5 ft. Real Bargain @	1.45
5-6 ft. Real Bargain @	1.90
6-7 ft. Real Bargain @	2.75
TSUGA CAROLINIANA. <i>Carolina Hemlock.</i>	
9-12 in. @	.14
1-1½ ft. @	.26
1½-2 ft. @	.45
2-3 ft. @	1.00
3-4 ft. @	1.45

RHODODENDRONS

RHODODENDRON CATAWBIENSE. <i>Catawba Rhododendron</i>	
8-12 in. bushy @	\$.18
1-1½ ft. bushy @	.30
1-1½ ft. Heavy cls. @	.56
1½-2 ft. X Heavy cls. @	1.00
2-3 ft. X Heavy cls. @	1.45
Cut-back cls. for growing on	.22
3-4 ft. clumps @	2.10
RHODODENDRON CATAWBIENSE COMPACTA. <i>Variety of Catawbiense.</i>	
6-8 in. bushy @	.18
1-1½ ft. X heavy clumps @	.65
Cut-back cls. for growing on @	.32

RHODODENDRON CAROLINIANUM. <i>Carolina Rhododendron.</i>	
1½-2 ft. X heavy cls. @	\$.75
2-3 ft. XX heavy cls. @	1.00
3-4 ft. XX heavy cls. @	1.60
Cut-back cls. for growing on	.24
RHODODENDRON MAXIMUM. <i>Rosebay.</i>	
6-12 in bushy @	.14
1-1½ ft. Strong, Bushy @	.26
1-1½ ft. X heavy clumps @	.42
1½-2 ft. XX heavy clumps @	.65
2-3 ft. XX heavy clumps @	.90
3-4 ft. XX heavy clumps @	1.65
Cut-back cls. for growing on—Bargain @	.18

HARDY VINES, CLIMBERS and CREEPERS

BIGNONIA RADICANS. <i>Trumpet Creeper.</i>					
1 2 ft. @			\$.06		
CELASTRUS SCANDENS. <i>American Bittersweet.</i>					
9 18 in Seedlings @			.04		
3 4 ft. X Heavy @			.20		
CLEMATIS PANICULATA. <i>Sweet Autumn Clematis.</i>					
Strong 3 year @			.12		
CLEMATIS VIRGINIANA. <i>Virgin's Bower.</i>					
X strong @			.05		
DIOSCOREA VILLOSA. <i>Yam.</i>					
Strong @			.05		
EPIGAEA REPENS. <i>Trailing Arbutus.</i>					
Strong clumps @			.08		
GALAX APHYLLA. <i>Galax.</i>					
X heavy clumps @			.07		
GAULTHERIA PROCUMBENS. <i>Wintergreen.</i>					
Strong clumps @			.07		
IRIS CRISTATA. <i>Crested Iris.</i>					
Strong clumps @			.07		
IRIS Verna <i>Vernal Iris.</i>					
Strong clumps @				\$.08	
LONICERA JAPONICA ITALIANA. <i>Hall's Honeysuckle</i>					
X 1st. size @			.04		
Strong one year Plants @			.02		
PACHYSANDRA TERMINALIS. <i>Japanese Pachysandra.</i>					
1st. size @			.08		
PHILOX DIVARICATA. <i>Blue Phlox.</i>					
Strong @			.08		
SEDUM TERNATUM. <i>Stonecrop.</i>					
Strong @			.05		
SHORTIA GALACIFOLIA. <i>Oconee Bells.</i>					
Strong clumps @			.08		
2nd. size @			.04		
VINCA MINOR. <i>Common Periwinkle.</i>					
Strong 1st. size @			.05		
2nd. size @			.03		

HARDY NATIVE FERNS

ADIANTUM PEDATUM. <i>American Maidenhair.</i>					
Extra strong @			\$.04		
ATHYRIUM FILIXFEMINA. <i>Lady Fern.</i>					
X strong @			.05		
BOTRYCHIUM VIRGINIANUM. <i>Rattlesnake Fern.</i>					
Strong @			.05		
DICKSONIA PUNCTILOBULA. <i>Hay-Scented Fern.</i>					
X heavy clumps @			.04		
DRYOPTERIS MARGINALIS. <i>Leather Woodfern.</i>					
X heavy @			.05		
DRYOPTERIS SPINULOSA. <i>Toothed Woodfern.</i>					
Strong @			.05		
OSMUNDA CINNAMOMEA. <i>Cinnamon Fern.</i>					
X strong @			.05		
OSMUNDA CLAYTONIANA. <i>Interrupted Fern.</i>					
X strong @				\$.06	
OSMUNDA REGALIS. <i>Royal Fern.</i>					
Strong @			.06		
POLYPODIUM VULGARE. <i>Common Polypody.</i>					
Clumps @			.06		
POLYSTICHUM ACROSTICHOIDES.					
Clumps @			.04		
PTERETIS NODULOSA.					
X strong @			.07		
PTERIDIUM AQUILINUM.					
Strong @			.04		

HARDY AQUATIC and BOG PLANTS

A moist place in your garden can be made the home of a great collection of Bog Plants.

ASTER PUNICEUS. <i>Swamp Aster.</i>					
Heavy clumps @			\$.05		
CHELONE GLABRA. <i>White Turtlehead.</i>					
X strong @			.05		
CHELONE LYONI. <i>Pink Turtlehead.</i>					
X strong @			.05		
DARLINGTONIA CALIFORNICA.					
Strong @			.24		
DIONAEA MUSCIPULA. <i>Venus' Flytrap.</i>					
Strong @			.10		
HEMEROCALLIS FULVA. <i>Tawny Day Lily.</i>					
Strong @			.07		
IRIS PSEUDACORUS. <i>Yellow Flag.</i>					
X strong @			.09		
IRIS VERSICOLOR. <i>Blue Flag.</i>					
Strong @				\$.06	
MERTENSIA VIRGINICA. <i>Virginia Bluebells.</i>					
Flowering size @			.08		
RANUNCULUS REPENS. <i>Creeping Buttercup.</i>					
Strong clumps @			.05		
SARRACENIA FLAVA. <i>Trumpet Pitcher Plant.</i>					
X strong @			.15		
SARRACENIA MINOR. <i>Hooded Pitcher Plant.</i>					
Strong @			.16		
SARRACENIA PURPUREA. <i>Common Pitcher Plant.</i>					
Strong @			.15		
VERATRUM VIRIDE. <i>American False Hellebore.</i>					
X strong @			.07		
VERNONIA NOVEBORACENSIS. <i>Common Ironweed.</i>					
Strong @			.05		

HARDY NATIVE LILIES and BULBOUS PLANTS

ARISAEMA TRIPHYLLUM. <i>Jack-in-the-Pulpit.</i>					
1st. size @			\$.06		
CONVALLARIA MAJALIS. <i>Lily-of-the-Valley.</i>					
Strong @			.05		
DICENTRA EXIMA. <i>Fringed Bleeding-Heart.</i>					
Heavy clumps @			.18		
1st. size @			.11		
2nd. size @			.05		
ERYTHRONIUM AMERICANUM. <i>American Trout Lily.</i>					
Flowering size @			.04		
LILIUM CANADENSE.					
1st. size @			.12		
2nd. size @			.05		
LILIUM CAROLINIANUM. <i>Carolina Lily.</i>					
1st. size @			.12		
2nd. size @			.05		
LILIUM PHILADELPHICUM. <i>Orange cup Lily.</i>					
Flowering size bulbs @			.11		
LILIUM SUPERBUM. <i>American Turk's-cap Lily</i>					
1st. size @				\$.08	
2nd. size @				.03	
SANGUINARIA CANADENSIS. <i>Bloodroot</i>					
Strong @			.05		
TRILLIUM ERCTUM. <i>Purple Trillium.</i>					
XX largest @			.06		
First size @			.03		
Second size @			.01		
TRILLIUM STYLOSUM. <i>Rose Trillium.</i>					
First size @			.04		
Flowering second size @			.02		
TRILLIUM UNDULATUM. <i>Painted Trillium.</i>					
XX largest @			.06		
Strong first size @			.03		
Second size @			.01		

HARDY NATIVE ORCHIDS

CALOPOGON PULCHELLUS. <i>Grass-pink Orchid.</i>	
Strong @	\$.06
CYPRIPEDIUM ACAULE. <i>Pink Lady's Slipper.</i>	
XX heavy clumps, 4 to 8 crowns @	.24
X strong first size @	.11
Flowering second size @	.05
CYPRIPEDIUM PARVIFLORUM.	
<i>Small Yellow Lady's Slipper.</i>	
1-3 crown clumpy plants @	.15
X strong 4-6 crown plumps @	.26
CYPRIPEDIUM PUBESCENS. <i>Common Lady's Slipper.</i>	
X first size @	.11
Flowering second size @	.05
XX heavy clumps, 4-8 crowns @	.24

CYPRIPEDIUM SPECTABILE. <i>Showy Lady's Slipper.</i>	
X first size, 1-3 crown cls. @	\$.18
Heavy clumps, 4-8 crowns @	.55
XXX heavy cls. 10-20 crowns @	1.65
HABENARIA CILIARIS. <i>Yellow Fringe Orchid.</i>	
Strong @	.08
HABENARIA PSYCODES. <i>Small Purple Fringe Orchid.</i>	
Strong @	.08
ORCHIS SPECTABILIS. <i>Showy Orchis.</i>	
Strong @	.08

HARDY NATIVE HERBACEOUS PERENNIALS

This list contains a variety of Herbaceous Plants furnishing a succession of bloom from early spring to late autumn, all having been tried out with success in cultivation. The time of blooming naturally depends on locality.

ACONITUM UNCINATUM. <i>Clambering Monkshood.</i>	
Strong @	\$.06
AQUILEGIA CANADENSIS. <i>American Columbine.</i>	
Strong @	.08
ASARUM CANADENSE. <i>Canada Wild Ginger.</i>	
Strong @	.05
ASCLEPIAS TUBEROSA. <i>Butterfly Weed.</i>	
X strong @	.08
Second size @	.04
ASTILBE BITERNATA. <i>False Goat's Beard.</i>	
X strong @	.04
CAULOPHYLLUM THALICTROIDES. <i>Blue Cohosh.</i>	
Strong @	.04
CHAMAELIRIUM LUTEUM. <i>Fairy Wand.</i>	
X strong @	.05
CIMICIFUGA AMERICANA. <i>American Bugbane.</i>	
Strong @	.05
CIMICIFUGA RACEMOSA. <i>Cohosh Bugbane.</i>	
X heavy @	.05
CLINTONIA BOREALIS. <i>Bluebead.</i>	
Strong @	.05
CLINTONIA UMBELLULATA. <i>Speckled Clintonia.</i>	
Strong @	.05
EUPATORIUM PURPUREUM. <i>Joe-Pye-Weed.</i>	
X strong @	.06
EUPHORBIA COROLLATA. <i>Flowering Spurge.</i>	
Strong @	.06
GENTIANA ANDREWSI. <i>Closed Gentian.</i>	
Strong @	.04
GILLENIA TRIFOLIATA. <i>Bowman's Roots.</i>	
X strong @	.04
HEPATICACUTILOBA. <i>Sharp-lobed Hepatica.</i>	
X strong @	.06
HEPATICATRILOBA. <i>Round-lobed Hepatica.</i>	
Strong @	.07
HEUCHERA AMERICANA.	
X strong @	.06
HEUCHERAVILLOSA. <i>Hairy Alum-root.</i>	
X strong @	.05
HOUSTONIA PURPUREA. <i>Mountain Houstonia.</i>	
Strong @	.05

HYDRASTIS CANADENSIS. <i>Golden Seal.</i>	
First size @	\$.06
Second size @	.03
LIATRIS SCARIOSA. <i>Large Button-Gayfeather.</i>	
Strong @	.06
LIATRIS SPICATA. <i>Spike Gayfeather.</i>	
Strong @	.05
PANAX QUINQUEFOLIUM. <i>American Ginseng.</i>	
1 year Plants @	.03
2 year Plants @	.06
3 year Plants @	.10
PODOPHYLLUM PELTATUM. <i>Common May Apple.</i>	
Strong @	.04
POLYGONATUM COMMUTATUM. <i>Great Solomon's Seal.</i>	
X strong @	.05
SMILACINA RACEMOSA. <i>False Solomon's Seal.</i>	
Strong @	.05
SOLIDAGO CANADENSIS. <i>Canada Goldenrod.</i>	
Strong @	.04
STENANTHIUM ROBUSTUM. <i>Feather Fleece.</i>	
X heavy @	.08
STREPTOPUS ROSEUS. <i>Twisted Stalk.</i>	
Strong @	.08
THERMOPSIS CAROLINIANA. <i>Carolina Thermopsis.</i>	
X strong @	.07
UVULARIA PERFOLIATA. <i>Wood Merrybells.</i>	
Strong @	.05
UVULARIA SESSILIFOLIA. <i>Little Merrybells.</i>	
Strong @	.05
VERONICA VIRGINICA. <i>Culver's Physic.</i>	
Strong @	.06
VIOLA CANADENSIS. <i>Canada Violet.</i>	
X strong @	.06
VIOLA PEDATA. <i>Bird's-foot-Violet.</i>	
First size @	.05
Second size @	.02
VIOLA PEDATA BICOLOR. <i>Two-color Bird's Foot Violet.</i>	
Flowering size @	.05
VIOLA ROTUNDIFOLIA. <i>Round-leaf Violet.</i>	
Strong @	.06
YUCCA FLACCIDA. <i>Weak-leaf Yucca.</i>	
Strong three year @	.10
YUCCA GLORIOSA. (Patens) <i>Moundlily Yucca.</i>	
X strong @	.12
ZYGADENUS MUSCAETOXICUM. <i>Crow-Poison.</i>	
Strong @	.05

All stock will be balled and burlapped where necessary.

SPRING SHIPMENTS are forwarded according to customers wishes and subject to conditions beyond our control.

Please Order Early. TIME LIMIT APRIL 30th.

WESTERN UNION TELEGRAPH AND LONG DISTANCE CONNECTION. WIRE ORDERS WHEN IN A HURRY TO AVOID DELAY.

*Gardens of
The Blue Ridge*

E. C. ROBBINS, Nurseryman
ASHFORD, McDowell County, N. C.